

Section 14  
Electrical

**14.1 General**

- 14.1.1 All signs requiring an electrical connection shall be approved, constructed and installed in accordance with the Electrical By-Law of the City of Vancouver.
- 14.1.2 All electrical signs shall be labelled with the following information in letters not less than 10 mm in height:
  - (a) the maker's name;
  - (b) date of manufacture;
  - (c) evidence of C.S.A. approval or B.C. Ministry of Community, Aboriginal and Women's Services approval;
  - (d) gross weight of the sign for other than a free-standing sign;
  - (e) the operating amperage and voltage.
- 14.1.3 The label shall be attached to the exterior of the sign in such a manner that all the information is readily seen from ground level after the sign is erected or access to the sign is provided, without the use of a ladder or other device.

**14.2 Inspection**

- 14.2.1 Immediately upon completion of the electrical installation of any electric sign for which a permit has been issued, the person to whom the permit has been granted shall notify the City Electrician on the form provided that the installation of such sign has been completed in accordance with the Electrical By-law of the City of Vancouver.

**14.3 Under Canopy and Awning Lighting**

- 14.3.1 Light fixtures, switches and wiring shall be weatherproof unless a permanent rigid sealed structure is provided which ensures that the electrical installation is kept dry at all times.

